# RECEIVED CENTRAL FAX CENTER

OCT 0 2 2008

# WORKMAN NYDEGGER

A PROFESSIONAL CORPORATION
ATTORNEYS AT LAW
1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY, UTAH 84111
TELEPHONE (801) 533-9800
FAX (801) 328-1707

# TELECOPIER COVER SHEET

October 2, 2008

Total Number of Pages	1			
(including cover letter):	<u> 14</u>			
Please deliver the transmitted facsimile pages to:				

# PATENT TECHNOLOGY CENTER 2192 ATTN: **BEN C. WANG**

Telecopier Phone:

571-273-8300

From:

Michael J. Frodsham, Reg. No. 48,699

Comments:

Please see attached.

Serial No.:

10/772,992

Docket No.:

13768.493

THE INFORMATION CONTAINED IN THIS FACSIMILE MESSAGE IS ATTORNEY PRIVILEGED AND CONFIDENTIAL INFORMATION INTENDED ONLY FOR THE USE OF THE INDIVIDUAL OR ENTITY NAMED ABOVE. IF THE READER OF THIS MESSAGE IS NOT THE INTENDED RECIPIENT, OR THE EMPLOYEE OR AGENT RESPONSIBLE TO DELIVER IT TO THE INTENDED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT ANY DISSEMINATION, DISTRIBUTION OR COPYING OF THIS COMMUNICATION IS STRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE IMMEDIATELY NOTIFY US BY TELEPHONE, AND RETURN THE ORIGINAL MESSAGE TO US AT THE ABOVE ADDRESS VIA THE U.S. POSTAL SERVICE. THANK YOU.

# CENTRAL FAX CENTER

OCT 0 2 2008 PTOI-413A (08-03)
Approved for use through 07/31/2006. OMB 0651-0031 U.S. Paternland
Trademark Office: U.S. DEPARTMENT OF COMMERCE

Applicant Initiated Interview Request Form						
Application No.: 10/772,992 First Named Applicant: James S. Miller  Examiner: Ben C. Wang Art Unit: 2122 Status of Application: Pending						
Tentative Participant (1) Examiner and A		(2)				
(3)		(4)				
Proposed Date of Interview: September 12, 2008 Proposed Time: 11:00 AM						
Type of Interview Requested: (1) [ ] Telephonic (2) [X] Personal (3) [ ] Video Conference  Exhibit To Be Shown or Demonstrated: [ ] YES [ ] NO If yes, provide brief description:						
Issues To Be Discussed						
Atty. Docket No. 13' Issues C (Rej., Obj., etc) F	laims/	Prior Art	Discussed	Agreed	Not Agreed	
(1)			[]	[]	[] []	
[X] We will discuss proposed claims for Amendment D, as attached.						
[] Continuation Sheet Attached						
Brief Description of Arguments to be Presented:						
NOTE: This form should be completed by applicant and submitted to the examiner in advance of the interview (see MPEP § 713.01). This application will not be delayed from issue because of applicant's failure to submit a written record of this interview. Therefore, applicant is advised to file a statement of the substance of this interview (37 CFR 1.133(b)) as soon as possible.						
/Michael J. Frodsham/ (Applicant/Applicant's Representative Signature) (Examiner/SPE Signature)						
( - Fr						

This collection of information is required by 37 CFR 1.133. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 21 minutes to complete, including gathering, preparing; and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call1-800-PTO-9199 and select option 2.

- 1. (Currently Amended) In a computerized system that includes one or more computer-executable program components, including one or more computer-executable requesting components configured to execute one or more computer-executable target components in the computerized system, the target components comprising one of a library component and a platform component, a method of automatically providing a computer-executable requesting component with access to an automatically determined version of a computer-executable target component upon request, comprising the acts of:
  - receiving one or more requests from one or more requesting components for access by the one or more requesting components of one or more target components, wherein each request includes an indication of the lowest possible version of the target component that the requesting component can accept;
  - upon receiving the one or more requests, identifying a versioning policy for each of the requested target components;
  - automatically determining from the identified versioning policy that the requested target component is a platform component or a library component; and
  - automatically providing the one or more requesting components with access to an appropriate version of the one or more target components on a differential basis from one target component to the next, wherein:
    - if the requested target component is a platform component, the requesting component is automatically provided only the most recent servicing of the target component that is at least as recent as the lowest possible version of the target component specified by the requesting component; and

Proposed Claims for Examiner Interview on September 12, 2008
11:00 am
Attorney Docket No.: 13768.493
Application No. 10/772,992

if the requested target component is a library component, the requesting component is provided only a version of the target component that is specified by the requesting component.

- 2. (Cancelled)
- 3. (Cancelled)
- 4. (Currently Amended) The method as recited in claim 1, wherein the target component is a platform component, the method further comprising an act of identifying a more recent version of the target component in response to a request for an earlier version of the target even though the more recent version and the earlier version are both accessible to the computerized system comprises identifying a more recent version of a platform component even though an earlier version of the platform component remained on the system when the more recent version was received at the computerized system.
- 5. (Previously Presented) The method as recited in claim 1, further comprising an act of identifying the versioning policy of the specified lowest possible version of the target component when the specified lowest possible version of the target component is added to the computerized system.
- 6. (Previously Presented) The method as recited in claim 1, further comprising an act of storing, in the requesting component, version information that identifies the specified lowest possible version of the target component in the requesting component when the requesting component is one or more of compiled, configured, installed, and run on the computerized system.

Proposed Claims for Examiner Interview on September 12, 2008
11:00 am

Attorney Docket No.: 13768.493 Application No. 10/772,992

- 7. (Previously Presented) The method as recited in claim 1, further comprising: identifying one or more requesting components that are able to access a prior version of the target component;
  - identifying that none of the one or more requesting components are configured to request the prior version of the target component; and
  - automatically deleting the prior version of the target component.
- 8. (Previously Presented) The method as recited in claim 1, wherein the request further includes a request for a specific version of the target component, wherein the requested specific version is different from the lowest possible version of the target component.
- 9. (Previously Presented) The method as recited in claim 8, wherein the automatically determined appropriate version of the target component is different from the requested specific version of the target component that was requested.
- 10. (Previously Presented) The method as recited in claim 1, further comprising receiving a plurality of new versions of the target component, wherein each of the new versions of the target component is associated with a different versioning policy.
- 11. (Previously Presented) The method as recited in claim 9, further comprising determining the appropriate version of the target component from among the specified lowest possible version of the target component and each of the plurality of new versions of the target component when the plurality of new versions of the target component.

- 12. (Original) The method as recited in claim 1, wherein the versioning policy is inserted into computer-executable instructions in the target component prior to one of installing, configuring, and executing the target component on the computerized system.
- 13. (Previously Presented) The method as recited in claim 1, wherein the versioning policy is further identified in a plurality of versions of the target component on the computerized system.
- 14. (Previously Presented) The method as recited in claim 12, wherein each versioning policy in each version of the target component identifies a specific version of the requesting component configured to access that target component.
- 15. (Original) The method as recited in claim 1, further comprising identifying a component scope that is associated with the target component.
- 16. (Previously Presented) The method as recited in claim 14, wherein the appropriate version of the target component is further automatically determined based on the identified component scope associated with the target component in addition to a determination of the lowest possible version that can be accepted.
- 17. (Previously Presented) The method as recited in claim 15, wherein the identified component scope specifies that access to the specified version of the target component is provided differently from the lowest possible version of the target component in one of a machine level, a process level, or a sub-process level.

- 18. (Previously Presented) The method as recited in claim 1, further comprising identifying a servicing value associated with the requested target component.
- 19. (Previously Presented) The method as recited in claim 18, wherein identifying an appropriate version of the target component comprises identifying an updated servicing of a target component.

- 20. (Currently Amended) In a computerized system that includes one or more computerexecutable program components, including one or more computer-executable requesting components that can request to access one or more computer-executable target components in the computerized system, the target components comprising one of a library component and a platform component, a method of automatically providing a computer-executable requesting component with access to an automatically determined version of a computer-executable target component, comprising:
  - receiving one or more requests from one or more requesting components for access by the one or more requesting components of one or more target components, wherein each request includes an indication of the lowest possible version of the target component that the requesting component can accept;
  - a step for, upon receiving the request from the requesting component, automatically determining an appropriate version of the requested target component based on a versioning policy corresponding to the requested target component, and automatically allowing access to the appropriate version of the requested target component on a differential basis based on whether the requested target component is a platform component or a library component, such that the requesting component accesses the appropriate target component as it has been configured to do so, and such that the requesting component does not fail when requesting access to a component that has been upgraded.

- 21. (Previously Presented) The method as recited in claim 20, wherein the step for allowing access to an appropriate version of the requested target component comprises the corresponding acts of:
  - upon receiving the one or more requests, identifying a versioning policy for each of the requested target components;
  - automatically determining from the identified versioning policy that the requested target component is a platform component or a library component; and
  - automatically providing the one or more requesting components with access to an appropriate version of the one or more target components on a differential basis from one target component to the next, wherein:
    - if the requested target component is a platform component, the requesting component is automatically provided only the most recent servicing of the target component that is at least as recent as the lowest possible version of the target component specified by the requesting component; and
    - if the requested target component is a library component, the requesting component is provided only a version of the target component that is specified by the requesting component.

Fax Server

# DO NOT ENTER INTO THE RECORD

- 22. (Currently Amended) In a computerized system that includes one or more program components, including one or more requesting components that can request to access one or more target components in the computerized system, the target components comprising one of a library component and a platform component, a method of automatically managing access of one or more versions of computer-executable target components such that a computer-executable requesting component that accesses the computer-executable target component continues to operate effectively after the target component has been upgraded with newer versions thereof, comprising the acts of:
  - identifying that one or more requesting components are configured to execute a version of one or more computer-executable target components;
  - automatically identifying a versioning policy for each of the one or more target components;
  - automatically determining for each of the one or more target components whether the target component is a platform component or a library component; and
  - for each platform component automatically determining based on the corresponding versioning policy for each platform component to remove any of the available versions of the platform component that are earlier than the version for which any of the one or more requesting components are configured; and
  - for each library component, determining based on the corresponding versioning policy to maintain all new versions of the target component, all the existing versions of the target component, and all of the previously installed version of the target components in the system at the same time.

- 23. (Previously Presented) The method as recited in claim 22, wherein each target component includes a versioning value and a servicing value, the method further comprising: receiving an updated servicing of the existing version of one of the target components over a network from a network service provider; and
  - automatically overwriting the target component, wherein the existing version of the target component reflects the versioning value and a new servicing value.
- 24. (Cancelled)
- 25. (Cancelled)

- 26. (Previously Presented) In a computerized system including one or more requesting components that are configured to access one or more target components in the computerized system, a computer program storage product having computer-executable instructions stored thereon that, when executed, cause one or more processors in the computerized system to execute a method of automatically providing a computer-executable requesting component with access to an automatically determined version of a computer-executable target component upon request, comprising the acts of:
  - the one or more requests from one or more requesting components for access by the one or more requesting components of one or more target components, wherein each request includes an indication of the lowest possible version of the target component that the requesting component can accept;
  - upon receiving the one or more requests, identifying a versioning policy for each of the requested target components;
  - automatically determining from the identified versioning policy that the requested target component is a platform component or a library component; and
  - automatically providing the one or more requesting components with access to an appropriate version of the one or more target components on a differential basis for each target component, wherein:
    - if the requested target component is a platform component, the requesting component is automatically provided only the most recent servicing of the target component that is at least as recent as the lowest possible version of the target component specified by the requesting component; and

Proposed Claims for Examiner Interview on September 12, 2008
11:00 am
Attorney Docket No.: 13768.493
Application No. 10/772,992

if the requested target component is a library component, the requesting component is provided only a version of the target component that is specified by the requesting component.

. . . . . .

#### DO NOT ENTER INTO THE RECORD

- 27. (Previously Presented) In a computerized system including one or more requesting components that are configured to access one or more target components in the computerized system, a computer program storage product having computer-executable instructions stored thereon that, when executed, cause one or more processors in the computerized system to execute a method of automatically managing access of one or more versions of computer-executable target components such that a computer-executable requesting component that accesses the computer-executable target component continues to operate effectively after the target component has been upgraded with newer versions thereof, comprising the acts of:
  - identifying that one or more requesting components are configured to execute a version of one or more computer-executable target components;
  - automatically identifying a versioning policy for each of the one or more target components;
  - automatically determining for each of the one or more target components whether the target component is a platform component or a library component; and
  - for each platform component automatically determining based on the corresponding versioning policy for each platform component to remove any of the available versions of the platform component that are earlier than the version for which any of the one or more requesting components are configured; and
  - for each library component, determining based on the corresponding versioning policy to maintain all new versions of the target component, all the existing versions of the target component, and all of the previously installed version of the target components in the system at the same time.